

HUNTING

SPORTING

TACTICAL

SIGHT MARK[®]

MAKE YOUR MARK



10 YEAR
ANNIVERSARY



RIFLESCOPES

REFLEX SIGHTS

NIGHT VISION

LASER SIGHTS

BORESIGHTS

FLASHLIGHTS

BINOCULARS

SPOTTING SCOPES

MAKE YOUR MARK

While Sightmark's MAKE YOUR MARK tagline perfectly illustrates our mission to provide uncompromising accuracy in virtually any environment, to us, those three words mean quite a bit more.

MAKE YOUR MARK represents our commitment; first, to those who serve; second, to our Constitutional right to bear arms, the right ensuring all others remain intact; and finally, every single professional and recreational shooting enthusiast embracing and sharing our Pro-2nd Amendment lifestyle.

MAKE YOUR MARK also symbolizes our desire to build more than a brand people know they can trust. It represents our higher calling to build an honorable, unapologetic legacy, truly appreciative of the fabric of a free society to pass on to future generations. Only accomplishing the latter truly embodies the gravity of what MAKE YOUR MARK means to us.

In the spirit of gratitude for those who preserve freedom as we know it to be, MAKE YOUR MARK is a call to action. One we take seriously when it comes to developing products worthy of our brand... and our lifetime warranty. The same brand countless professionals rely upon for performance in the best... and most assuredly, worst of times.



RIFLESCOPES		
Pinnacle Series:	4 - 5	
Rapid Series:	6 - 7	
Core TX Series:	8 - 9	
Core HX Series:	10 - 11	
Core SX Series:	12 - 13	
Riflescope Comparison:	14 - 15	
PRISMATIC SIGHTS		
Wolfhound Series:	16 - 17	
RED DOT & REFLEX SIGHTS		
Wolverine Series:	18 - 19	
	Ultra Shot M-spec Series:	20 - 21
	Ultra Shot Series:	22 - 23
	Shot Series:	24 - 25
	Sight Comparison:	26 - 27
	MAGNIFIERS	28 - 29
	SPOTTING SCOPES	
	Latitude Series:	30 - 31
	Solitude Series:	32 - 33
	BINOCULARS	
	Solitude Series:	34 - 35
	NIGHT VISION	
	Photon & Ranger Series:	36 - 37
	LASER SIGHTS	
	ReadyFire & LoPro Series:	38 - 39
	LIGHTS & ILLUMINATORS	40 - 41
	LASER BORESIGHTS	42 - 43
	ACCESSORIES	44 - 45
	10 YEAR ANNIVERSARY	46
	LIFETIME WARRANTY	47

4

BRANDON KRAMER
- K-9 UNIT | POLICE



- PREMIUM, JAPANESE GLASS
- FULLY MULTI-COATED OPTICS
- SINGLE-PIECE TUBE CONSTRUCTION
- ZERO-STOP ELEVATION DIAL
- SCRATCH-RESISTANT LENSES
- FIRST-FOCAL-PLANE RETICLE
- CAPPED OR EXPOSED TURRET OPTION
- AIRCRAFT-GRADE ALUMINUM
- HARD-ANODIZED FINISH
- SHOCKPROOF, FOGPROOF, WATERPROOF

FEATURES

CAPPED OR EXPOSED TURRETS



ILLUMINATION ADJUSTMENT



BALLISTIC MATCHED BDC DIALS



TACTICAL MIL - HW
MRAD DASH
RED/GREEN

TACTICAL MIL
MRAD DASH
RED/GREEN

CIRCLE DOT CHEVRON
.300BLK BDC
RED/GREEN

PINNACLE SERIES

Throw Lever attachment
for 1-6X Pinnacle Scopes
SM13028TMD.003



Throw Lever attachment
for 5-30x & 3-18x Pinnacle Scopes
SM13029TMD.001



Picattiny Rings - High Height
34mm for SM13029TMD
SM34014






Picattiny Rings - Medium Height
34mm for SM13029TMD
SM34013



7.62x51, 175gr BDC Dial
For SM13028TMD
SM13028TMD.001



5.56x45, 62gr BDC Dial
For SM13028TMD
SM13028TMD.002





PINNACLE 5-30X50

Model Number: SM13029TMD
 Reticle: Tactical Mil - HW
 Magnification: 5 - 30x
 Objective Lens: 50 mm
 Eye Relief: 3.8 - 3.7 in
 Field of View: 20.2 - 3.4 ft @ 100 yds
 Tube Diameter: 34 mm
 Parallax Settings: 30 - ∞ yds
 MIL Adjustment: 0.1 one click
 Wind./Elev. Adjustment: 18 MRAD, 26 MRAD
 Dimensions: 14 x 3.14 in
 Weight: 34.5 oz
 Battery: CR2023



PINNACLE 3-18X44

Model Number: SM13030TMD
 Reticle: Tactical Mil - HW
 Magnification: 3 - 18x
 Objective Lens: 44 mm
 Eye Relief: 3.9 in
 Field of View: 35.3 - 5.9 ft @ 100 yds
 Tube Diameter: 34 mm
 Parallax Settings: 30 - ∞ yds
 MOA Adjustment: 0.1 one click
 Wind./Elev. Adjustment: 12 MRAD, 25 MRAD
 Dimensions: 14 x 3.14 in
 Weight: 32.8 oz
 Battery: CR2032



PINNACLE 1-6X24

Model Number: SM13028TMD
 Reticle: Tactical Mil
 Magnification: 1 - 6x
 Objective Lens: 24 mm
 Eye Relief: 4.1 in
 Field of View: 90 - 15.9 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MIL Adjustment: 0.1 one click
 Wind./Elev. Adjustment: 40 MRAD, 40 MRAD
 Dimensions: 10.2 x 2.89 in
 Weight: 20.4 oz
 Battery: CR2023



PINNACLE 1-6X24

Model Number: SM13028AAC
 Reticle: Circle Dot Chevron
 Magnification: 1 - 6x
 Objective Lens: 24 mm
 Eye Relief: 4.1 in
 Field of View: 90 - 15.9 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 140 MOA, 140 MOA
 Dimensions: 10.2 x 2.89 in
 Weight: 20.4 oz
 Battery: CR2023

6

KEVIN MANNING
- OFFICER/SWAT | POLICE



- RAPID POWER-ROTATION EYEPIECE
- OPTIMAL SIZE-TO-POWER RATIO
- SINGLE-PIECE TUBE CONSTRUCTION
- AIRCRAFT-GRADE ALUMINUM
- HARD-ANODIZED FINISH
- POP-UP LOCKING, EXPOSED TURRETS (AR SERIES)
- CAPPED, LOW-PROFILE TURRETS (M1 SERIES)
- FULLY MULTI-COATED OPTICS
- SHOCKPROOF, FOGPROOF, WATERPROOF
- LENS COVERS & BATTERY INCLUDED

FEATURES

ILLUMINATION
ADJUSTMENT



PARALLAX
ADJUSTMENT




POP-UP LOCKING
TURRETS (AR)




CAPPED, LOW-
PROFILE TURRETS (M1)




SHR-223 RETICLE
.223 BDC
RED




SCR-300 RETICLE
.300 BLK BDC
RED



SCR-308 RETICLE
.308 BDC
RED



TDR RETICLE
TAPERED DUPLEX
RED



Throw Lever attachment
for Rapid & Core Scopes
SM19029





RAPID AR TACTICAL 1-4X20

Model Number: SM13050
 Reticle: SHR-223
 Magnification: 1 - 4x
 Objective Lens: 20 mm
 Eye Relief: 4.5 in
 Field of View: 93 - 22.7 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 100 MOA, 100 MOA
 Dimensions: 8.7 x 2.9 in
 Weight: 19.2 oz
 Battery: CR2023



RAPID AR TACTICAL 1-4X20

Model Number: SM13051
 Reticle: SCR-300
 Magnification: 1 - 4x
 Objective Lens: 20 mm
 Eye Relief: 4.5 in
 Field of View: 93 - 22.7 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 100 MOA, 100 MOA
 Dimensions: 8.7 x 2.9 in
 Weight: 19.2 oz
 Battery: CR2023



RAPID AR TACTICAL 3-12X32

Model Number: SM13052
 Reticle: SHR-223
 Magnification: 3 - 12x
 Objective Lens: 32 mm
 Eye Relief: 4.2 in
 Field of View: 32.5 - 8 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 90 MOA, 90 MOA
 Dimensions: 11.6 x 2.9 in
 Weight: 20.8 oz
 Battery: CR2023



RAPID AR TACTICAL 3-12X32

Model Number: SM13053
 Reticle: SCR-300
 Magnification: 3 - 12x
 Objective Lens: 32 mm
 Eye Relief: 4.2 in
 Field of View: 32.5 - 8 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 90 MOA, 90 MOA
 Dimensions: 11.6 x 2.9 in
 Weight: 20.8 oz
 Battery: CR2023



RAPID AR TACTICAL 5-20X40

Model Number: SM13054
 Reticle: SCR-308
 Magnification: 5 - 20x
 Objective Lens: 40 mm
 Eye Relief: 4 in
 Field of View: 20.4 - 5.1 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 25 yds - ∞
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 12.8 x 3.6 in
 Weight: 23.6 oz
 Battery: CR2023



RAPID M1 SCOUT 2.5X20

Model Number: SM13055
 Reticle: TDR
 Magnification: 2.5x
 Objective Lens: 20 mm
 Eye Relief: 8 in
 Field of View: 20.4 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 50 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 55 MOA, 55 MOA
 Dimensions: 7.6 x 2.4 in
 Weight: 11.8 oz
 Battery: CR2023



RAPID M1 SCOUT 2-7X32

Model Number: SM13056
 Reticle: TDR
 Magnification: 2 - 7x
 Objective Lens: 32 mm
 Eye Relief: 8 in
 Field of View: 25.8 - 7.3 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 50 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 55 MOA, 5 MOA
 Dimensions: 9.5 x 2.4 in
 Weight: 14.2 oz
 Battery: CR2023

8

DONALD RICE
- SPECIALIST | ARMY

- RED/GREEN ILLUMINATED RETICLE
- SINGLE-PIECE TUBE CONSTRUCTION
- AIRCRAFT-GRADE ALUMINUM
- HARD-ANODIZED FINISH
- LOCKABLE, EXPOSED TURRETS
- CRISP EDGE-TO-EDGE VISIBILITY
- FULLY MULTICOATED OPTICS
- SHOCKPROOF, FOGPROOF, WATERPROOF
- SCOPE RINGS & BATTERY INCLUDED



FEATURES

ILLUMINATION
ADJUSTMENT



PARALLAX
ADJUSTMENT



LOCKING
TURRETS



DUAL CALIBER RETICLE
.223 / .308 BDC
RED/GREEN

AR-223 RETICLE
.223 BDC
RED/GREEN

MARKSMAN RETICLE
MOA DASH
RED/GREEN



Side Focus Wheel
for Core TX Scopes






Throw Lever Attachment
for Rapid & Core Scopes



44mm Sunshade
for Core TX Scopes



50mm Sunshade
for Core TX Scopes





CORE TX 8.5-25X50 MR
 Model Number: SM13076MR
 Reticle: Marksman
 Magnification: 8.5 - 25x
 Objective Lens: 50 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 12.7 - 4.2ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 10 - ∞ yds
 MOA Adjustment: 1/8 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 14.1 x 2.5 in
 Weight: 29 oz
 Battery: CR2023



CORE TX 4-16X44 MR
 Model Number: SM13075MR
 Reticle: Marksman
 Magnification: 4 - 16x
 Objective Lens: 44 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 24.6 - 6.3ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 20 - ∞ yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 13.7 x 2.5 in
 Weight: 24 oz
 Battery: CR2023



CORE TX 3-12X44 DCR
 Model Number: SM13074DCR
 Reticle: Dual Caliber
 Magnification: 3 - 12x
 Objective Lens: 44 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 36.7 - 9.2ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 20 - ∞ yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 13 x 2.5 in
 Weight: 20 oz
 Battery: CR2023



CORE TX 2.5-10X32 DCR
 Model Number: SM13073DCR
 Reticle: Dual Caliber
 Magnification: 2.5 - 10x
 Objective Lens: 32 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 44.1 - 11 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 12.2 x 2.5 in
 Weight: 20 oz
 Battery: CR2023



CORE TX 1-4X24 DCR
 Model Number: SM13072DCR
 Reticle: Dual Caliber
 Magnification: 1 - 4x
 Objective Lens: 24 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 96.1 - 24.1ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 80 MOA, 80 MOA
 Dimensions: 9.64 x 2.5 in
 Weight: 17 oz
 Battery: CR2023



CORE TX 4X32 DCR
 Model Number: SM13071DCR
 Reticle: Dual Caliber
 Magnification: 4x
 Objective Lens: 32 mm
 Eye Relief: 4 in
 Field of View: 25.19 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 80 MOA, 80 MOA
 Dimensions: 11.26 x 2.5 in
 Weight: 18 oz
 Battery: CR2023



CORE TX 4X32 DCR COMPACT
 Model Number: SM13078DCR
 Reticle: Dual Caliber
 Magnification: 4x
 Objective Lens: 32 mm
 Eye Relief: 4 in
 Field of View: 32.5 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 9.1 x 2.5 in
 Weight: 14.7 oz
 Battery: CR2023



CORE TX 4X32 AR-223
 Model Number: SM13079AR.223
 Reticle: AR-223
 Magnification: 4x
 Objective Lens: 32 mm
 Eye Relief: 4 in
 Field of View: 32.5 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 9.1 x 2.4 in
 Weight: 13.4 oz
 Battery: CR2023



CORE TX 1-4X24 AR-223
 Model Number: SM13082AR.223
 Reticle: AR-223
 Magnification: 1-4x
 Objective Lens: 24 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 102.5 - 25.2 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 9.64 x 2.6 in
 Weight: 16.2 oz
 Battery: CR2023

KAITLYN LOWES
- AVID HUNTER


- SINGLE-PIECE TUBE CONSTRUCTION
- AIRCRAFT-GRADE ALUMINUM
- HARD-ANODIZED FINISH
- RESETTABLE, CAPPED TURRETS
- CRISP EDGE-TO-EDGE VISIBILITY
- MULTI-COATED OPTICS
- SHOCKPROOF, FOGPROOF, WATERPROOF
- SCOPE RINGS & NEOPRENE COVER INCLUDED

FEATURES

RESETTABLE
TURRETS




TURRET
CAPS




PARALLAX
ADJUSTMENT (AO)




HUNTER DOT
RED




VENISON HUNTER
WHITETAIL CALIBERS BDC




HUNTER BALLISTIC
WHITETAIL CALIBERS BDC



HOG HUNTER



56mm Sunshade
for SM13080HDR Core HX Scope
SM13081CBR.001





CORE HX 3-12X56
 Model Number: SM13080HHR
 Reticle: Hunter Dot
 Magnification: 3 - 12x
 Objective Lens: 56 mm
 Eye Relief: 4.3 - 3.8 in
 Field of View: 35.5 - 8.8 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 20 - ∞ yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 60 MOA, 60 MOA
 Dimensions: 12.7 x 2.6 in
 Weight: 25 oz
 Battery: CR2023



CORE HX 6-24X50 AO
 Model Number: SM13070VHR
 Reticle: Venison Hunter
 Magnification: 6 - 24x
 Objective Lens: 50 mm
 Eye Relief: 4.3 - 3.8 in
 Field of View: 16.6 - 4.1 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 10 - ∞ yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 40 MOA, 40 MOA
 Dimensions: 14.4 x 2.43 in
 Weight: 19.4 oz



CORE HX 4-16X44 AO
 Model Number: SM13069VHR
 Reticle: Venison Hunter
 Magnification: 4 - 16x
 Objective Lens: 44 mm
 Eye Relief: 4.3 - 3.8 in
 Field of View: 24.8 - 6.2 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 10 - ∞ yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 14.3 x 2.2 in
 Weight: 16.2 oz



CORE HX 3-9X40 VHR
 Model Number: SM13068VHR
 Reticle: Venison Hunter
 Magnification: 3 - 9x
 Objective Lens: 40 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 35.4 - 12.2 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 100 MOA, 100 MOA
 Dimensions: 12.26 x 1.87 in
 Weight: 14.2 oz



CORE HX 3-9X40 HBR
 Model Number: SM13068HBR
 Reticle: Hunter Ballistic
 Magnification: 3 - 9x
 Objective Lens: 40 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 35.4 - 12.2 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 100 MOA, 100 MOA
 Dimensions: 12.26 x 1.87 in
 Weight: 14.2 oz



CORE HX 2-7X32 HHR
 Model Number: SM13067HHR
 Reticle: Hog Hunter
 Magnification: 2 - 7x
 Objective Lens: 32 mm
 Eye Relief: 4.7 - 4 in
 Field of View: 54.4 - 14.4 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 11.26 x 1.87 in
 Weight: 14 oz

BRETT JEPSEN
- AVID HUNTER

- SPECIALTY SCOPES DESIGNED FOR SPECIFIC NEEDS
- SINGLE-PIECE TUBE CONSTRUCTION
- AIRCRAFT-GRADE ALUMINUM
- HARD-ANODIZED FINISH
- RESETTABLE, CAPPED TURRETS
- CRISP EDGE-TO-EDGE VISIBILITY
- MULTI-COATED OPTICS
- SHOCKPROOF, FOGPROOF, WATERPROOF
- SCOPE RINGS & NEOPRENE COVER INCLUDED

FEATURES


RESETTABLE
TURRETS




TURRET
CAPS




BENCHREST
MOA DASH
RED / GREEN




VITAL XBOW RETICLE
250-400FPS(M) / 320 FPS(L)
RED




TDR RETICLE
TAPERED DUPLEX




DUPLEX RETICLE



SHOTGUN RETICLE
12 - 20 GAUGE SLUG BDC



.22LR BDC RETICLE
.22 LR BDC





CORE SX 10-40X56 BENCHREST

Model Number: SM13081CBR
 Reticle: BENCHREST
 Magnification: 10 - 40x
 Objective Lens: 56 mm
 Eye Relief: 3.9 - 3.6 in
 Field of View: 9.9 - 2.5 ft @ 100 yds
 Tube Diameter: 30 mm
 Parallax Settings: 15 - ∞ yds
 MOA Adjustment: 1/8 one click
 Wind./Elev. Adjustment: 40 MOA, 40 MOA
 Dimensions: 16.8 x 2.6 in
 Weight: 30.8 oz
 Battery: CR2032



CORE SX 1.5-4.5X32 CROSSBOW

Model Number: SM13060
 Reticle: Vital Xbow - M
 Magnification: 1.5 - 4.5x
 Objective Lens: 32 mm
 Eye Relief: 3.5 - 3 in
 Field of View: 84.3 - 28.1 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 30 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 80 MOA, 80 MOA
 Dimensions: 9.5 x 1.5 in
 Weight: 16 oz
 Battery: CR2032



CORE SX 3X32 CROSSBOW

Model Number: SM13061
 Reticle: Vital Xbow - L
 Magnification: 3x
 Objective Lens: 32 mm
 Eye Relief: 3 in
 Field of View: 44.2 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 30 yds
 MOA Adjustment: 80 MOA, 80 MOA
 Wind./Elev. Adjustment: 8.9 x 1.5 in
 Weight: 14 oz
 Battery: CR2032



CORE SX 4X32 PISTOL

Model Number: SM13062
 Reticle: Tapered Duplex
 Magnification: 4x
 Objective Lens: 32 mm
 Eye Relief: 14 in
 Field of View: 12.5 @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 60 MOA, 60 MOA
 Dimensions: 9.1 x 1.8 in
 Weight: 10 oz



CORE SX 1X24 SHOTGUN

Model Number: SM13063
 Reticle: Duplex
 Magnification: 1x
 Objective Lens: 24 mm
 Eye Relief: 3.8 in
 Field of View: 82 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 80 MOA, 80 MOA
 Dimensions: 9 x 1.9 in
 Weight: 11 oz



CORE SX 2-7X32 SHOTGUN

Model Number: SM13065SGR
 Reticle: Shotgun
 Magnification: 2 - 7x
 Objective Lens: 32 mm
 Eye Relief: 4.7 - 4 in
 Field of View: 54.4 - 14.4 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 11.26 x 1.87 in
 Weight: 14 oz



CORE SX 3-9X40 .22LR RIMFIRE

Model Number: SM13066LR
 Reticle: .22LR BDC
 Magnification: 3 - 9x
 Objective Lens: 40 mm
 Eye Relief: 4 - 3.7 in
 Field of View: 35.4 - 12.2 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 50 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 12.26 x 1.87 in
 Weight: 14.2 oz



CORE SX 4X32 .22LR RIMFIRE

Model Number: SM13077LR
 Reticle: .22LR BDC
 Magnification: 4x
 Objective Lens: 32 mm
 Eye Relief: 4 in
 Field of View: 32.5 ft @ 100 yds
 Tube Diameter: 1 in
 Parallax Settings: 50 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 9.1 x 1.87 in
 Weight: 11.7 oz



SERIES	PINNACLE	PINNACLE	PINNACLE	PINNACLE	RAPID AR	RAPID AR	RAPID AR	RAPID AR	RAPID AR	RAPID M1	RAPID M1	CORETX	CORETX	CORETX	CORETX	CORETX
MODEL #	SM13029TMD	SM13030TMD	SM13028TMD	SM13028AAC	SM13050	SM13051	SM13052	SM13053	SM13054	SM13055	SM13056	SM13076MR	SM13075MR	SM13074DCR	SM13073DCR	SM13072DCR
MAGNIFICATION	5-30X	3-18X	1-6X	1-6X	1-4X	1-4X	3-12X	3-12X	5-20X	2.5X	2-7X	8.5-25X	4-16X	3-12X	2.5-10X	1-4X
OBJECTIVE LENS DIA.	50MM	44MM	24MM	24MM	20MM	20MM	32MM	32MM	40MM	20MM	32MM	50MM	44MM	44MM	32MM	24MM
EYE RELIEF	3.8 - 3.7 IN	3.9 IN	4.1 IN	4.1 IN	4.5 IN	4.5 IN	4.2 IN	4.2 IN	4 IN	8 IN	8 IN	4 - 3.7 IN	4 - 3.7 IN	4 - 3.7 IN	4 - 3.7 IN	4 - 3.7 IN
FIELD OF VIEW@ 100YDS	20.2 - 3.4 FT	35.3 - 5.9 FT	90 - 15.9 FT	90 - 15.9 FT	93 - 22.7 FT	93 - 22.7 FT	32.5 - 8 FT	32.5 - 8 FT	20.4 - 5.1 FT	20.4 FT	25.8 - 7.3 FT	12.7 - 4.2 FT	24.6 - 6.3 FT	36.7 - 9.2 FT	44.1 - 11 FT	96.1 - 24.1 FT
TUBE DIAMETER	34MM	34MM	30MM	30MM	30MM	30MM	30MM	30MM	30MM	1 IN	1 IN	30MM	30MM	30MM	30MM	30MM
PARALLAX SETTING	30 yds - ∞	30 yds - ∞	100 yds	100 yds	100 yds	100 yds	100 yds	100 yds	25 yds - ∞	50 yds	50 yds	10 yds - ∞	20 yds - ∞	20 yds - ∞	100 yds	100 yds
ADJUSTMENT VALUE	0.1 MRAD	0.1 MRAD	0.1 MRAD	1/2 MOA	1/2 MOA	1/2 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/2 MOA	1/4 MOA	1/8 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/2 MOA
WINDAGE ADJUSTMENT	18 MRAD	12 MRAD	40 MRAD	140 MOA	100 MOA	100 MOA	90 MOA	90 MOA	70 MOA	55 MOA	55 MOA	50 MOA	50 MOA	70 MOA	70 MOA	80 MOA
ELEVATION ADJUSTMENT	26 MRAD	25 MRAD	40 MRAD	140 MOA	100 MOA	100 MOA	90 MOA	90 MOA	70 MOA	55 MOA	55 MOA	50 MOA	50 MOA	70 MOA	70 MOA	80 MOA
MAXIMUM CALIBER	UP TO .50 CAL	UP TO .50 CAL	UP TO .50 CAL	UP TO .50 CAL	UP TO .338	UP TO .338	UP TO .338	UP TO .338	UP TO .338	UP TO .338	UP TO .338	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE
LENGTH	14 IN	14 IN	10.2 IN	10.2 IN	8.7 IN	8.7 IN	11.6 IN	11.6 IN	12.8 IN	7.6 IN	9.5 IN	14.1 IN	13.7 IN	13 IN	12.2 IN	9.64 IN
TURRET TYPE	CAPPED OR EXPOSED	CAPPED OR EXPOSED	CAPPED OR EXPOSED	CAPPED OR EXPOSED	POP-UP LOCKING EXPOSED	POP-UP LOCKING EXPOSED	POP-UP LOCKING EXPOSED	POP-UP LOCKING EXPOSED	POP-UP LOCKING EXPOSED	CAPPED	CAPPED	LOCKING EXPOSED	LOCKING EXPOSED	LOCKING EXPOSED	LOCKING EXPOSED	LOCKING EXPOSED
WEIGHT	34.5 OZ	32.8 OZ	20.4 OZ	20.4 OZ	19.2 OZ	19.2 OZ	20.8 OZ	20.8 OZ	23.6 OZ	11.8 OZ	14.2 OZ	29 OZ	24 OZ	20 OZ	20 OZ	17 OZ
BATTERY	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023
INCLUDES	SUNSHADE TURRET CAPS THREAD PROTECTORS BATTERY	SUNSHADE TURRET CAPS THREAD PROTECTORS BATTERY	BDC DIALS (2) TURRET CAPS THREAD PROTECTORS BATTERY	BDC DIALS (2) TURRET CAPS THREAD PROTECTORS BATTERY	LENS COVERS CLEANING CLOTH BATTERY	LENS COVERS CLEANING CLOTH BATTERY	LENS COVERS CLEANING CLOTH BATTERY	LENS COVERS CLEANING CLOTH BATTERY	LENS COVERS CLEANING CLOTH BATTERY	LENS COVERS CLEANING CLOTH BATTERY	LENS COVERS CLEANING CLOTH BATTERY	FLIP-UP COVERS SCOPE RINGS BATTERY	FLIP-UP COVERS SCOPE RINGS BATTERY	FLIP-UP COVERS SCOPE RINGS BATTERY	FLIP-UP COVERS SCOPE RINGS BATTERY	FLIP-UP COVERS SCOPE RINGS BATTERY
RETICLE CALIBRATION	MRAD DASH	MRAD DASH	MRAD DASH	.300BLK, 110/120GR	.223, 55/62GR	.300BLK, 110/120GR	.223, 55/62GR	.300BLK, 110/120GR	.308, 150GR	N/A	N/A	MOA DASH	MOA DASH	.223 & .308	.223 & .308	.223 & .308
RETICLE ILLUMINATION	RED / GREEN	RED / GREEN	RED / GREEN	RED / GREEN	RED	RED	RED	RED	RED	RED	RED	RED / GREEN	RED / GREEN	RED / GREEN	RED / GREEN	RED / GREEN
RETICLE	TACTICAL MIL-HW	TACTICAL MIL-HW	TACTICAL MIL	CDC-300	SHR-223	SCR-300	SHR-223	SCR-300	SCR-308	TAPERED DUPLEX	TAPERED DUPLEX	MARKSMAN	MARKSMAN	DUAL CALIBER	DUAL CALIBER	DUAL CALIBER



CORETX	CORETX	CORETX	CORETX	CORE HX	CORE HX	CORE HX	CORE HX	CORE HX	CORE HX	CORE HX	CORE SX BENCHREST	CORE SX CROSSBOW - M	CORE SX CROSSBOW - L	CORE SX PISTOL	CORE SX SHOTGUN	CORE SX SHOTGUN	CORE SX RIMFIRE	CORE SX RIMFIRE	
SM13071DCR	SM13078DCR	SM13079AR.223	SM13082AR.223	SM13080HDR	SM13070VHR	SM13069VHR	SM13068VHR	SM13068HBR	SM13067HHR	SM13081CBR	SM13060	SM13061	SM13062	SM13063	SM13065SGR	SM13066LR	SM13077LR		
4X	4X	4X	1-4X	3-12X	6-24X	4-16X	3-9X	3-9X	2-7X	10-40X	1.5-4.5X	3X	4X	1X	2-7X	3-9X	4X		
32MM	32MM	32MM	24MM	56MM	50MM	44MM	40MM	40MM	32MM	56MM	32MM	32MM	32MM	24MM	32MM	40MM	32MM		
4 IN	4 IN	4 IN	4 - 3.7 IN	4.3 - 3.8 IN	4.3 - 3.8 IN	4.3 - 3.8 IN	4 - 3.7 IN	4 - 3.7 IN	4.7 - 4 IN	3.9 - 3.6 IN	3.5 - 3 IN	3 IN	14 IN	3.8 IN	4.7 - 4 IN	4 - 3.7 IN	4 IN		
25.2 FT	32.5 FT	32.5 FT	102.5 - 25.2 FT	35.5 - 8.8 FT	16.6 - 4.1 FT	24.8 - 6.2 FT	35.4 - 12.2 FT	35.4 - 12.2 FT	54.4 - 14.4 FT	9.9 - 2.5 FT	84.3 - 28.1 FT	44.2 FT	12.5 FT	82 FT	54.4 - 14.4 FT	35.4 - 12.2 FT	32.5 FT		
30MM	30MM	1 IN	30MM	30 MM	1 IN	1 IN	1 IN	1 IN	1 IN	30 MM	1 IN	1 IN	1 IN	1 IN	1 IN	1 IN	1 IN		
100 yds	100 yds	100 yds	100 yds	20 yds - ∞	10 yds - ∞	10 yds - ∞	100 yds	100 yds	100 yds	15 yds - ∞	30 yds	30 yds	100 yds	100 yds	100 yds	50 yds	50 yds		
1/4 MOA	1/2 MOA	1/2 MOA	1/2 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/8 MOA	1/2 MOA	1/2 MOA	1/2 MOA	1/2 MOA	1/4 MOA	1/4 MOA	1/2 MOA		
80 MOA	120 MOA	120 MOA	120 MOA	60 MOA	40 MOA	50 MOA	100 MOA	100 MOA	70 MOA	40 MOA	80 MOA	80 MOA	60 MOA	80 MOA	70 MOA	70 MOA	120 MOA		
80 MOA	120 MOA	120 MOA	120 MOA	60 MOA	40 MOA	50 MOA	100 MOA	100 MOA	70 MOA	40 MOA	80 MOA	80 MOA	60 MOA	80 MOA	70 MOA	70 MOA	120 MOA		
UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .500NE	UP TO .308	CROSSBOW	CROSSBOW	.454 Casull	UP TO 12-GAUGE	UP TO 12-GAUGE	UP TO .308	UP TO .308		
11.26 IN	9.1 IN	9.1 IN	9.64 IN	12.7 IN	14.4 IN	14.3 IN	12.26 IN	12.26 IN	11.26 IN	16.8 IN	9.5 IN	8.9 IN	9.1 IN	9 IN	11.26 IN	12.26 IN	9.1 IN		
LOCKING EXPOSED	POP-UP LOCKING EXPOSED	POP-UP LOCKING EXPOSED	POP-UP LOCKING EXPOSED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	CAPPED	
18 OZ	14.7 OZ	13.4 OZ	16.2 OZ	25 OZ	19.4 OZ	16.2 OZ	14.2 OZ	14.2 OZ	14 OZ	30.8 OZ	16 OZ	14 OZ	10 OZ	11 OZ	14 OZ	14.2 OZ	11.7 OZ		
CR2023	CR2023	CR2023	CR2023	CR2023	N/A	N/A	N/A	N/A	N/A	CR2032	CR2023	CR2023	N/A	N/A	N/A	N/A	N/A		
FLIP-UP COVERS SCOPE RINGS BATTERY	FLIP-UP COVERS SCOPE RINGS BATTERY	FLIP-UP COVERS SCOPE RINGS BATTERY	FLIP-UP COVERS SCOPE RINGS BATTERY	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS	NEOPRENE COVER SCOPE RINGS		
.223 & .308	.223 & .308	.223, 55GR	.223, 55GR	WHITETAIL CALIBERS	WHITETAIL CALIBERS	WHITETAIL CALIBERS	WHITETAIL CALIBERS	WHITETAIL CALIBERS	N/A	MOA DASH	250-400 FPS	320 FPS	N/A	N/A	12-20 GAUGE SLUG	N/A	N/A		
RED / GREEN	RED / GREEN	RED / GREEN	RED / GREEN	RED	N/A	N/A	N/A	N/A	N/A	RED / GREEN	RED	RED	N/A	N/A	N/A	N/A	N/A		
DUAL CALIBER	DUAL CALIBER	AR-223	AR-223	HUNTER DOT	VENISON HUNTER	VENISON HUNTER	VENISON HUNTER	HUNTER BALLISTIC	HOG HUNTER	BENCHREST	VITALS XBOW - M	VITALS XBOW - L	TAPERED DUPLEX	DUPLEX	SHOTGUN	.22LR BDC	.22LR BDC		

JOEL HUFFMAN
- CORPORAL | MARINES



- SINGLE-PIECE HOUSING
- AIRCRAFT-GRADE ALUMINUM
- RUBBER-ARMOR OUTER SHELL
- FULLY MULTI-COATED OPTICS
- ADJUSTABLE RETICLE BRIGHTNESS
- UP TO 4,000 HOURS BATTERY LIFE
- SHOCKPROOF, FOGPROOF, WATERPROOF
- PICATINNY MOUNT
- HONEYCOMB FILTER AND LENS COVER INCLUDED

FEATURES

ILLUMINATION
ADJUSTMENT




RUBBER-ARMOR
OUTER SHELL




HONEYCOMB
FILTER INCLUDED




HORSE SHOE .223
.223 BDC
RED/GREEN



HORSE SHOE .300
.300 BDC
RED/GREEN



LONG RANGE .308
.308 BDC
RED/GREEN



Picatinny, Locking Quick Detach
for Wolfhound series
SM13025.001





WOLFHOUND 6X44 HS-223

Model Number: SM13026
 Reticle: Horse Shoe .223
 Magnification: 6x
 Objective Lens: 44 mm
 Eye Relief: 2.83 in
 Field of View: 15.77 ft @ 100 yds
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 6.7 x 3 in
 Weight: 23.5 oz
 Battery: CR2032
 Mount Type: Picatinny



WOLFHOUND 6X44 HS-223 LQD

Model Number: SM13026LQD
 Reticle: Horse Shoe .223
 Magnification: 6x
 Objective Lens: 44 mm
 Eye Relief: 2.83 in
 Field of View: 15.77 ft @ 100 yds
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 6.7 x 3 in
 Weight: 25.4 oz
 Battery: CR2032
 Mount Type: Picatinny, Locking Quick-Detach



WOLFHOUND 6X44 LR-308

Model Number: SM13026LRD
 Reticle: Long Range .308
 Magnification: 6x
 Objective Lens: 44 mm
 Eye Relief: 2.83 in
 Field of View: 15.77 ft @ 100 yds
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 6.7 x 3 in
 Weight: 23.5 oz
 Battery: CR2032
 Mount Type: Picatinny



WOLFHOUND 6X44 LR-308 LQD

Model Number: SM13026LRD-LQD
 Reticle: Long Range .308
 Magnification: 6x
 Objective Lens: 44 mm
 Eye Relief: 2.83 in
 Field of View: 15.77 ft @ 100 yds
 Parallax Settings: 100 yds
 MOA Adjustment: 1/4 one click
 Wind./Elev. Adjustment: 70 MOA, 70 MOA
 Dimensions: 6.7 x 3 in
 Weight: 25.4 oz
 Battery: CR2032
 Mount Type: Picatinny, Locking Quick-Detach



WOLFHOUND 3X24 HS-223

Model Number: SM13025
 Reticle: Horse Shoe .223
 Magnification: 3x
 Objective Lens: 24 mm
 Eye Relief: 2.83 in
 Field of View: 31.6 ft @ 100 yds
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 160 MOA, 160 MOA
 Dimensions: 5.9 x 3 in
 Weight: 17.2 oz
 Battery: CR2032
 Mount Type: Picatinny



WOLFHOUND 3X24 HS-223 LQD

Model Number: SM13025LQD
 Reticle: Horse Shoe .223
 Magnification: 3x
 Objective Lens: 24 mm
 Eye Relief: 2.83 in
 Field of View: 31.6 ft @ 100 yds
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 160 MOA, 160 MOA
 Dimensions: 5.9 x 3 in
 Weight: 19.9 oz
 Battery: CR2032
 Mount Type: Picatinny, Locking Quick-Detach



WOLFHOUND 3X24 HS-300

Model Number: SM13025AAC
 Reticle: Horse Shoe .300
 Magnification: 3x
 Objective Lens: 24 mm
 Eye Relief: 2.83 in
 Field of View: 31.6 ft @ 100 yds
 Parallax Settings: 100 yds
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 160 MOA, 160 MOA
 Dimensions: 5.9 x 3 in
 Weight: 17.2 oz
 Battery: CR2032
 Mount Type: Picatinny

18

BIENVENIDO ALMONTE
- OFFICER | POLICE




- POWERED BY A SINGLE AA BATTERY
- SINGLE-PIECE HOUSING
- AIRCRAFT-GRADE ALUMINUM
- RUBBER-ARMOR OUTER SHELL
- FULLY MULTI-COATED OPTICS
- ADJUSTABLE RETICLE BRIGHTNESS
- UP TO 1 MILLION HOURS BATTERY LIFE
- SHOCKPROOF, FOGPROOF, WATERPROOF
- PICATINNY MOUNT
- LENS COVER & CO-WITNESS RISER INCLUDED

FEATURES

PROTECTED
ADJUSTMENT CAPS

RUBBER-ARMOR
OUTER SHELL

DIGITAL
SWITCH



RED DOT
2 MOA DOT
RED

RED DOT
4 MOA DOT
RED

Anti-reflection Honeycomb Filter
for Wolverine FSR
SM26020.001



Anti-reflection Honeycomb Filter
for Wolverine CSR
SM26021.001



Also Available in Dark Earth
SM26020DE



WOLVERINE 1X28 FULL SIZE

Model Number: SM26020
 Reticle: 2 MOA Dot
 Magnification: 1x
 Objective Lens: 28 mm
 Eye Relief: Unlimited
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 4.4 x 2.9 in
 Weight: 12.3 oz
 Battery: AA
 Battery Life: 900-1,000,000 hours
 Mount Type: Picatinny

Also Available in Dark Earth
SM26021DE



WOLVERINE 1X23 COMPACT SIZE

Model Number: SM26021
 Reticle: 4 MOA Dot
 Magnification: 1x
 Objective Lens: 23 mm
 Eye Relief: Unlimited
 MOA Adjustment: 1/2 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 3.4 x 2.8 in
 Weight: 10.3 oz
 Battery: AA
 Battery Life: 900-1,000,000 hours
 Mount Type: Picatinny

ALLEN HUDSON
- DETECTIVE/SWAT | POLICE



- DURABLE MAGNESIUM HOUSING
- UP TO 1,000 HOUR BATTERY LIFE
- ADVANCED AR LENS COATING
- PARALLAX-FREE DUAL-GLASS SYSTEM
- VARIABLE BRIGHTNESS FOR DAY OR NIGHT USE
- EASY-TO-USE DIGITAL SWITCH CONTROLS
- WITHSTANDS HEAVY RECOIL CALIBERS
- WATERPROOF UP TO 40 FT
- SHOCKPROOF AND WATERPROOF

- MOTION SENSING AUTO-ON (SM26009, SM26010 ONLY)
- AUTO SHUT-OFF (SM26005 ONLY)

FEATURES


QUICK DETACH MOUNT



DIGITAL SWITCH



CIRCLE DOT CROSSHAIR
3 MOA DOT
RED



Also Available in Dark Earth
SM26005DE



ULTRA SHOT M-SPEC

Model Number: SM26005
 Reticle: Circle Dot Crosshair - Red
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 4 x 2.3 in
 Weight: 8 oz
 Battery: CR2
 Battery Life: 90-1000 Hours
 Switch Type: Digital
 Mount Type: Picatinny, Quick-Detach



ULTRA SHOT M-SPEC - LQD

Model Number: SM26009
 Reticle: Circle Dot Crosshair - Red
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 4 x 2.3 in
 Weight: 8.6 oz
 Battery: CR2
 Battery Life: 90-1000 Hours
 Switch Type: Digital
 Mount Type: Picatinny, Locking Quick-Detach



ULTRA SHOT M-SPEC - FMS

Model Number: SM26010
 Reticle: Circle Dot Crosshair - Red
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 4 x 2.3 in
 Weight: 7.5 oz
 Battery: CR2
 Battery Life: 90-1000 Hours
 Switch Type: Digital
 Mount Type: Picatinny, Fixed

SIGHT MARK®

22

MATTHEW MELTON
- SEAL | NAVY



- LIGHTWEIGHT ALUMINUM CONSTRUCTION
- PRECISION ACCURACY
- UNLIMITED EYE RELIEF
- ADJUSTABLE RETICLE BRIGHTNESS
- 4 RED RETICLE PATTERNS (SM26008 HAS RED & GREEN)
- WITHSTANDS HEAVY RECOIL CALIBERS
- PERFECT FOR RAPID FIRE OR MOVING TARGETS
- SHOCKPROOF AND WATERPROOF

FEATURES

ILLUMINATION
ADJUSTMENT

RETICLE PATTERN
SELECTOR




CIRCLE DOT CROSSHAIR
3 MOA DOT

DOT
5 MOA DOT

CROSSHAIR DOT
3 MOA DOT

CIRCLE DOT
3 MOA DOT



Also Available in Dark Earth
SM26008DE



ULTRA SHOT

Model Number: SM13005
 Reticle: 4 Pattern - Red
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 3.2 x 2.2 in
 Weight: 5.6 oz
 Battery: CR1632
 Battery Life: 25-120 Hours
 Switch Type: Analog
 Mount Type: Picatinny



ULTRA SHOT - DT

Model Number: SM13005-DT
 Reticle: 4 Pattern - Red
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 3.2 x 2.2 in
 Weight: 5.6 oz
 Battery: CR1632
 Battery Life: 25-120 Hours
 Switch Type: Analog
 Mount Type: Dovetail



ULTRA SHOT - DIGITAL

Model Number: SM14000
 Reticle: 4 Pattern - Red
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 3.7 x 2.2 in
 Weight: 7.6 oz
 Battery: AG5 x3
 Battery Life: 25-150 Hours
 Switch Type: Digital
 Mount Type: Picatinny, Quick-Detach



ULTRA SHOT PLUS

Model Number: SM26008
 Reticle: 4 Pattern - Red/Green
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 120 MOA, 120 MOA
 Dimensions: 4.4 x 2.3 in
 Weight: 9.2 oz
 Battery: CR2123A
 Battery Life: 90-1000 Hours
 Switch Type: Digital
 Mount Type: Picatinny, Quick-Detach



ULTRA SHOT PRO - NV

Model Number: SM14002
 Reticle: 4 Pattern - Red (Night Vision Compatible)
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 3.2 x 2.9 in
 Weight: 9 oz
 Battery: CR1632
 Battery Life: 25-180 Hours
 Switch Type: Analog
 Mount Type: Picatinny, Quick-Detach



ULTRA SHOT PRO - NV GREEN

Model Number: SM14002G
 Reticle: 4 Pattern - Green (Night Vision Compatible)
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 3.2 x 2.9 in
 Weight: 9 oz
 Battery: CR1632
 Battery Life: 25-180 Hours
 Switch Type: Analog
 Mount Type: Picatinny, Quick-Detach



ULTRA SHOT PRO - NV DUAL

Model Number: SM14003
 Reticle: 4 Pattern - Red (Night Vision Compatible)
 Magnification: 1x
 Objective Aperture: 33 x 24 mm
 MOA Adjustment: 1 one click
 Wind./Elev. Adjustment: 50 MOA, 50 MOA
 Dimensions: 3.2 x 2.9 in
 Weight: 8.9 oz
 Battery: CR1632 (Sight) / AG13 x2 (Laser)
 Battery Life: 25-180 Hours (Sight) / 4 Hours (Laser)
 Switch Type: Analog
 Mount Type: Picatinny, Quick-Detach
 Laser Type: 5mW Red

24

SONIA BRANNEN
- OFFICER | POLICE



- COMPACT AND PRECISION ACCURACY
- DIGITAL ON/OFF SWITCH
- LIGHTWEIGHT ALUMINUM CONSTRUCTION
- UNLIMITED EYE RELIEF
- ADJUSTABLE RETICLE BRIGHTNESS
- WORKS WITH PISTOLS (MINI SERIES), SHOTGUNS AND AR'S
- SHOCKPROOF AND WATERPROOF

FEATURES

EASILY ACCESS BATTERY



DIGITAL SWITCH



CIRCLE DOT CROSSHAIR
3 MOA DOT

DOT
5 MOA DOT



CROSSHAIR DOT
3 MOA DOT

CIRCLE DOT
3 MOA DOT



Pistol Mounts for Mini Shot

Beretta SM19030	1911 Standard SM19031	Sig Sauer P226 SM19032	Glock SM19033
Springfield XD SM19034	S&W M&P SM19035	HK USP SM19036	





SURE SHOT PLUS

Model Number: SM26013
Reticle: 4 Pattern - Red
Magnification: 1x
Objective Aperture: 33 x 23 mm
MOA Adjustment: 1 one click
Wind./Elev. Adjustment: 50 MOA, 50 MOA
Dimensions: 3 x 1.4 in
Weight: 4.7 oz
Battery: CR2032
Battery Life: 20-200 Hours
Switch Type: Digital
Mount Type: Picatinny



CORE SHOT

Model Number: SM26001
Reticle: 5 MOA Dot - Red (Night Vision Compatible)
Magnification: 1x
Objective Aperture: 28 x 19 mm
MOA Adjustment: 1 one click
Wind./Elev. Adjustment: 165 MOA, 110 MOA
Dimensions: 2.6 x 1.5 in
Weight: 4.6 oz
Battery: CR2032
Battery Life: 20-1400 Hours
Switch Type: Digital
Mount Type: Picatinny



MINI SHOT - RED












Model Number: SM26006
Reticle: 5 MOA Dot - Red
Magnification: 1x
Objective Aperture: 23 x 16 mm
MOA Adjustment: 1 one click
Wind./Elev. Adjustment: 205 MOA, 150 MOA
Dimensions: 1.9 x 1.4 in
Weight: 4 oz
Battery: CR1632
Battery Life: 20-10,000 Hours
Switch Type: Digital
Mount Type: Picatinny, Low Profile & Riser




MINI SHOT - GREEN

Model Number: SM26007
Reticle: 5 MOA Dot - Green
Magnification: 1x
Objective Aperture: 23 x 16 mm
MOA Adjustment: 1 one click
Wind./Elev. Adjustment: 205 MOA, 150 MOA
Dimensions: 1.9 x 1.4 in
Weight: 4 oz
Battery: CR1632
Battery Life: 20-10,000 Hours
Switch Type: Digital
Mount Type: Picatinny, Low Profile & Riser



SERIES	WOLFHOUND	WOLFHOUND	WOLFHOUND	WOLFHOUND	WOLFHOUND	WOLFHOUND	WOLFHOUND	WOLFVERINE	WOLFVERINE	ULTRA SHOT M-SPEC	ULTRA SHOT M-SPEC
MODEL #	SM13026	SM13026LQD	SM13026LRD	SM13026LRD-LQD	SM13025	SM13025LQD	SM13025AAC	SM26020	SM26021	SM26005	SM26009
MAGNIFICATION	6X	6X	6X	6X	3X	3X	3X	1X	1X	1X	1X
OBJECTIVE APERTURE	44 MM	44 MM	44 MM	44 MM	24 MM	24 MM	24 MM	28 MM	23 MM	33X24 MM	33X24 MM
EYE RELIEF	2.83 IN	2.83 IN	2.83 IN	2.83 IN	2.83 IN	2.83 IN	2.83 IN	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED
PARALLAX	100 YDS	100 YDS	100 YDS	100 YDS	100 YDS	100 YDS	100 YDS	PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE DUAL-GLASS SYSTEM
ADJUSTMENT VALUE	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA	1/2 MOA	1/2 MOA	1/2 MOA	1/2 MOA	1/2 MOA	1 MOA	1 MOA
WINDAGE ADJUSTMENT	70 MOA	70 MOA	70 MOA	70 MOA	160 MOA	160 MOA	160 MOA	120 MOA	120 MOA	120 MOA	120 MOA
ELEVATION ADJUSTMENT	70 MOA	70 MOA	70 MOA	70 MOA	160 MOA	160 MOA	160 MOA	120 MOA	120 MOA	120 MOA	120 MOA
MAXIMUM CALIBER	UP TO .308	UP TO .308	UP TO .308	UP TO .308	UP TO .308	UP TO .308	UP TO .308	UP TO .308	UP TO .308	UP TO .50 CAL	UP TO .50 CAL
LENGTH	6.7 IN	6.7 IN	6.7 IN	6.7 IN	5.9 IN	5.9 IN	5.9 IN	4.4 IN	3.4 IN	4 IN	4 IN
WEIGHT	23.5 OZ	25.4 OZ	23.5 OZ	25.4 OZ	17.2 OZ	19.9 OZ	17.2 OZ	12.3 OZ	10.3 OZ	8 OZ	8.6 OZ
BATTERY	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	CR2023	AA	AA	CR2	CR2
BATTERY LIFE	200-4,000	200-4,000	200-4,000	200-4000	200-4,000	200-4,000	200-4,000	900-1 MILLION	900-1 MILLION	90-1,000	90-1,000
SWITCH TYPE	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	ANALOG	DIGITAL	DIGITAL	DIGITAL	DIGITAL
MOUNT TYPE	PICATINNY, FIXED	PICATINNY, LOCKING QUICK-DETACH	PICATINNY, FIXED	PICATINNY, LOCKING QUICK-DETACH	PICATINNY, FIXED	PICATINNY, LOCKING QUICK-DETACH	PICATINNY, FIXED	PICATINNY, FIXED	PICATINNY, FIXED	PICATINNY, QUICK-DETACH	PICATINNY, LOCKING QUICK-DETACH
INCLUDES	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	HONEYCOMB FILTER RUBBER LENS COVERS BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY
RETICLE CALIBRATION	.223 BDC	.223 BDC	.308 BDC	.308 BDC	.223 BDC	.223 BDC	.300 BDC	N/A	N/A	N/A	N/A
RETICLE ILLUMINATION	RED / GREEN	RED / GREEN	RED / GREEN	RED / GREEN	RED / GREEN	RED / GREEN	RED / GREEN	RED	RED	RED	RED
RETICLE	HORSE SHOE.223 	HORSE SHOE.223 	LONG RANGE .308 	LONG RANGE .308 	HORSESHOE.223 	HORSESHOE.223 	HORSESHOE.300 	2MOA DOT (NIGHT VISION COMPATIBLE) 	4MOA DOT (NIGHT VISION COMPATIBLE) 	CIRCLE DOT CROSSHAIR (NIGHT VISION COMPATIBLE) 	CIRCLE DOT CROSSHAIR (NIGHT VISION COMPATIBLE) 

											
ULTRA SHOT M-SPEC	ULTRA SHOT	ULTRA SHOT	ULTRA SHOT	ULTRA SHOT PLUS	ULTRA SHOT PRO	ULTRA SHOT PRO	ULTRA SHOT PRO WITH LASER	SURE SHOT PLUS	CORE SHOT	MINI SHOT	MINI SHOT
SM26010	SM13005	SM13005-DT	SM14000	SM26008	SM14002	SM14002G	SM14003	SM26013	SM26001	SM26006	SM26007
1X	1X	1X	1X	1X	1X	1X	1X	1X	1X	1X	1X
33X24 MM	33X24 MM	33X24 MM	33X24 MM	33X24 MM	33X24 MM	33X24 MM	33X24 MM	33X23 MM	28X19 MM	23X16 MM	23X16 MM
UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED	UNLIMITED
PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE	PARALLAX FREE	PARALLAX-FREE	PARALLAX-FREE	PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE	PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE DUAL-GLASS SYSTEM	PARALLAX-FREE DUAL-GLASS SYSTEM
1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA
120 MOA	50 MOA	50 MOA	50 MOA	120 MOA	50 MOA	50 MOA	50 MOA	50 MOA	165 MOA	205 MOA	205 MOA
120 MOA	50 MOA	50 MOA	50 MOA	120 MOA	50 MOA	50 MOA	50 MOA	50 MOA	110 MOA	150 MOA	150 MOA
UP TO .50 CAL	UP TO .50 CAL	UP TO .50 CAL	UP TO .50 CAL	UP TO .50 CAL	UP TO .50 CAL	UP TO .50 CAL	UP TO .50 CAL	UP TO .308	UP TO .308	UP TO .50 CAL	UP TO .50 CAL
4 IN	3.2 IN	3.2 IN	3.7 IN	4.4 IN	3.2 IN	3.2 IN	3.2 IN	3 IN	2.6 IN	1.9 IN	1.9 IN
7.5 OZ	5.6 OZ	5.6 OZ	5.6 OZ	9.2 OZ	9 OZ	9 OZ	9 OZ	4.7 OZ	4.6 OZ	4 OZ	4 OZ
CR2	CR1632	CR1632	AG5 X3	CR123A	CR1632	CR1632	CR1632	CR2032	CR2032	CR1632	CR1632
90-1,000	25-120	25-120	25-150	90-1000	25-180	25-180	25-180	20-200	20-1,400	20-10,000	20-10,000
DIGITAL	ANALOG	ANALOG	DIGITAL	DIGITAL	ANALOG	ANALOG	ANALOG	DIGITAL	DIGITAL	DIGITAL	DIGITAL
PICATINNY, FIXED	PICATINNY, FIXED	DOVETAIL, FIXED	PICATINNY, QUICK-DETACH	PICATINNY, QUICK-DETACH	PICATINNY, QUICK-DETACH	PICATINNY, QUICK-DETACH	PICATINNY, QUICK-DETACH	PICATINNY, FIXED	PICATINNY, FIXED	PICATINNY, LOW-PROFILE & RISER	PICATINNY, LOW-PROFILE & RISER
NEOPRENE COVER ADJUSTMENT TOOL BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY	NEOPRENE COVER ADJUSTMENT TOOL BATTERY	LENS COVER ADJUSTMENT TOOL BATTERY	LENS COVER ADJUSTMENT TOOL BATTERY	LENS COVER ADJUSTMENT TOOL BATTERY	LENS COVER ADJUSTMENT TOOL BATTERY
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
RED	RED	RED	RED	RED/GREEN	RED	GREEN	RED	RED	RED	RED	GREEN
CIRCLE DOT CROSSHAIR (NIGHT VISION COMPATIBLE)	4 PATTERN	4 PATTERN	4 PATTERN	4 PATTERN	4 PATTERN (NIGHT VISION COMPATIBLE)	4 PATTERN (NIGHT VISION COMPATIBLE)	4 PATTERN (NIGHT VISION COMPATIBLE)	4 PATTERN	5MOA RED DOT (NIGHT VISION COMPATIBLE)	5MOA DOT	5MOA DOT
											

ALLEN HUDSON
- DETECTIVE/SWAT | POLICE

- INCREASES MAGNIFICATION OF ACCOMPANYING SIGHTS
- COMPATIBLE WITH MOST REFLEX OR RED DOT SIGHTS
- INTERNAL WINDAGE/ELEVATION ADJUSTMENT
- LIGHTWEIGHT AIRCRAFT-GRADE ALUMINUM
- RUBBER-ARMOR OUTER SHELL
- FULLY MULTI-COATED OPTICS
- SHOCKPROOF, WEATHERPROOF
- FLIP-TO-SIDE PICATINNY MOUNT

FEATURES

FLIP-TO-SIDE MOUNT



RUBBER ARMOR OUTER SHELL



Picatinny, Fixed
Flip-to-Side Mount for Magnifiers
SM34015



Picatinny, Locking Quick-Detach
Flip-to-Side Mount for Magnifiers
SM34016



Picatinny, Quick-Detach
Slide-to-Side Mount for Magnifiers
SM19023





XT-3 MAGNIFIER

Model Number: SM19061
 Magnification: 3x
 Objective Lens: 23 mm
 Eye Relief: 3 in
 Field of View: 31.5 ft @ 100 yds
 Tube Diameter: 30 mm
 Diopter Adjustment: + - 3
 Dimensions: 3.9 x 1.9 in
 Weight: 10.5 oz
 Mount Type: Picatinny, Locking Quick-Detach Flip-to-Side



3X MAGNIFIER PRO

Model Number: SM19060
 Magnification: 3x
 Objective Lens: 28 mm
 Eye Relief: 3.5 in
 Field of View: 31.5 ft @ 100 yds
 Tube Diameter: 30 mm
 Diopter Adjustment: + - 3
 Dimensions: 5.2 x 2 in
 Weight: 12.1 oz
 Mount Type: Picatinny, Fixed Flip-to-Side



7X MAGNIFIER

Model Number: SM19039
 Magnification: 7x
 Objective Lens: 32 mm
 Eye Relief: 2.08 in
 Field of View: 17.8 ft @ 100 yds
 Tube Diameter: 30 mm
 Diopter Adjustment: + - 3
 Dimensions: 5.9 x 1.9 in
 Weight: 12.1 oz
 Mount Type: Picatinny, Quick-Detach Slide-to-Side



5X MAGNIFIER

Model Number: SM19038
 Magnification: 5x
 Objective Lens: 32 mm
 Eye Relief: 2.1 in
 Field of View: 23.6 ft @ 100 yds
 Tube Diameter: 30 mm
 Diopter Adjustment: + - 3
 Dimensions: 5.4 x 1.9 in
 Weight: 12.1 oz
 Mount Type: Picatinny, Quick-Detach Slide-to-Side



3X MAGNIFIER

Model Number: SM19037
 Magnification: 3x
 Objective Lens: 28 mm
 Eye Relief: 2.2 in
 Field of View: 22.5 ft @ 100 yds
 Tube Diameter: 30 mm
 Diopter Adjustment: + - 3
 Dimensions: 4.8 x 1.9 in
 Weight: 10 oz
 Mount Type: Picatinny, Quick-Detach Slide-to-Side


30

KEVIN REESE
- SERGEANT | MARINES

- DESIGNED FOR LONG RANGE SHOOTING
- DIELECTRIC MIRROR COATINGS FOR INCREASED LIGHT TRANSMISSION
- EXTRA-LOW DISPERSION GLASS
- FOLDED LIGHT PATH FOR A COMPACT DESIGN
- RUBBER-ARMORED HOUSING
- FULLY MULTI-COATED OPTICS
- STRAIGHT EYEPIECE DESIGN WITH TWIST-UP EYECUP
- BUILT-IN DOUBLE TRIPOD ADAPTERS
- ACCESSORY RAILS, LENS COVER AND CASE INCLUDED
- WATERPROOF AND FOGPROOF

FEATURES

HEAVY-DUTY
CARRY CASE




PICATINNY
RAILS



RUBBER-ARMOR
OUTER SHELL



TACTICAL MIL
MRAD DASH





LATITUDE 20-60X80 XD
 Model Number: SM11034
 Optical Type: Mirror, Dielectric
 Reticle: N/A
 Magnification: 20 - 60x
 Objective Lens: 80 mm
 Exit Pupil Diameter: 1.06 - 1.02 mm
 Eye Relief: .63 - .55 in
 Field of View: 131.1 - 43.5 ft @ 1000 yds
 Close Focus Distance: 39 ft
 Twilight Index: 40 - 69.3
 Dimensions: 15.5 x 5.75 in
 Resolution: 2.2"
 Weight: 67.7 oz



LATITUDE 20-60X80 XD - TACTICAL
 Model Number: SM11034TD
 Optical Type: Mirror, Dielectric
 Reticle: Tactical MIL
 Magnification: 20 - 60x
 Objective Lens: 80 mm
 Exit Pupil Diameter: 1.06 - 1.02 mm
 Eye Relief: .63 - .55 in
 Field of View: 131.1 - 43.5 ft @ 1000 yds
 Close Focus Distance: 39 ft
 Twilight Index: 40 - 69.3
 Dimensions: 15.5 x 5.75 in
 Resolution: 2.2"
 Weight: 67.7 oz



LATITUDE 15-45X60
 Model Number: SM11033
 Optical Type: Mirror, Dielectric
 Reticle: N/A
 Magnification: 15 - 45x
 Objective Lens: 60 mm
 Exit Pupil Diameter: 4.2 - 1.3 mm
 Eye Relief: 1.06 - 1.02 in
 Field of View: 177 - 60 ft @ 1000 yds
 Close Focus Distance: 27 ft
 Twilight Index: 30 - 52
 Dimensions: 11 x 5.75 in
 Resolution: 2.8"
 Weight: 45.7 oz



LATITUDE 15-45X60 - TACTICAL
 Model Number: SM11033TD
 Optical Type: Mirror, Dielectric
 Reticle: Tactical MIL
 Magnification: 15 - 45x
 Objective Lens: 60 mm
 Exit Pupil Diameter: 4.2 - 1.3 mm
 Eye Relief: 1.06 - 1.02 in
 Field of View: 177 - 60 ft @ 1000 yds
 Close Focus Distance: 27 ft
 Twilight Index: 30 - 52
 Dimensions: 11 x 5.75 in
 Resolution: 2.8"
 Weight: 45.7 oz

32

JOHN SMITH
- AVID HUNTER

- 100% REFLECTIVE ADVANCED ALUMINUM PRISM COATINGS
- PORRO PRISM OPTICAL SYSTEM
- FULLY MULTI-COATED OPTICS
- STRAIGHT EYEPIECE DESIGN WITH TWIST-UP EYECUP
- INTEGRATED SUNSHADE
- BUILT-IN TRIPOD ADAPTER
- TABLETOP TRIPOD, LENS COVER AND CASE INCLUDED
- WATERPROOF AND FOGPROOF



FEATURES

HEAVY-DUTY
CARRY CASE



TABLE TOP
TRIPOD





SOLITUDE 20-60X80 SE

Model Number: SM11032K
 Optical Type: Porro, Prism
 Reticle: N/A
 Magnification: 20 - 60x
 Objective Lens: 80 mm
 Exit Pupil Diameter: 4 - 1.3 mm
 Eye Relief: .63 - .55 in
 Field of View: 94.3 - 47.1 ft @ 1000 yds
 Close Focus Distance: 20 ft
 Twilight Index: 40 - 69.3
 Dimensions: 17.7 x 4.7 in
 Resolution: 2.3"
 Weight: 50.5 oz



SOLITUDE 20-60X60 SE

Model Number: SM11031K
 Optical Type: Porro, Prism
 Reticle: N/A
 Magnification: 20 - 60x
 Objective Lens: 60 mm
 Exit Pupil Diameter: 3 - 1 mm
 Eye Relief: .6 - .55 in
 Field of View: 107.4 - 52.5 ft @ 1000 yds
 Close Focus Distance: 14 ft
 Twilight Index: 34.6 - 60
 Dimensions: 13.9 x 4.7 in
 Resolution: 2.7"
 Weight: 36.6 oz



SOLITUDE 11-33X50 SE

Model Number: SM11030K
 Optical Type: Porro, Prism
 Reticle: N/A
 Magnification: 11 - 33x
 Objective Lens: 50 mm
 Exit Pupil Diameter: 4.5 - 1.5 mm
 Eye Relief: .59 - .47 in
 Field of View: 157.2 - 77.1 ft @ 1000 yds
 Close Focus Distance: 7.5 ft
 Twilight Index: 23.45 - 40.62
 Dimensions: 11.2 x 4.7 in
 Resolution: 2.3"
 Weight: 22.5 oz

34

JOHN ROSS
- AVID HUNTER

- EXTRA-LOW DISPERSION GLASS (XD ONLY)
- MAGNESIUM HOUSING (XD ONLY)
- BAK-4 ROOF PRISM OPTICAL SYSTEM
- RUBBER-ARMORED BODY
- FULLY MULTI-COATED OPTICS
- TWIST-UP EYECUP
- NECK STRAP, LENS COVER AND CASE INCLUDED
- WATERPROOF, FOGPROOF AND DUSTPROOF

FEATURES

NYLON
CARRY CASE



RUBBER-ARMOR
OUTER SHELL



NECK
STRAP





SOLITUDE 10X42 XD
 Model Number: SM12103
 Optical Type: Prism, Roof/BaK-4
 Focus System: Central
 Magnification: 10x
 Objective Lens: 42 mm
 Exit Pupil Diameter: 4.27 mm
 Eye Relief: .65 in
 Field of View: 340 ft @ 1000 yds
 Close Focus Distance: 6.6 ft
 Twilight Index: 20.2
 Dimensions: 6.7 x 5 x 2 in
 Resolution: 4"
 Weight: 20.2 oz



SOLITUDE 8X42 XD
 Model Number: SM12102
 Optical Type: Prism, Roof/BaK-4
 Focus System: Central
 Magnification: 8x
 Objective Lens: 42 mm
 Exit Pupil Diameter: 5.2 mm
 Eye Relief: .65 in
 Field of View: 426 ft @ 1000 yds
 Close Focus Distance: 6.6 ft
 Twilight Index: 17.8
 Dimensions: 6.7 x 5 x 2 in
 Resolution: 4"
 Weight: 26.7 oz



SOLITUDE 7X36 XD
 Model Number: SM12101
 Optical Type: Prism, Roof/BaK-4
 Focus System: Central
 Magnification: 7x
 Objective Lens: 36 mm
 Exit Pupil Diameter: 5.1 mm
 Eye Relief: .67 in
 Field of View: 477 ft @ 1000 yds
 Close Focus Distance: 5.9 ft
 Twilight Index: 15.8
 Dimensions: 5.9 x 4.8 x 2 in
 Resolution: 4.3"
 Weight: 23.7 oz



SOLITUDE 12X50
 Model Number: SM12004
 Optical Type: Prism, Roof/BaK-4
 Focus System: Central
 Magnification: 12x
 Objective Lens: 50 mm
 Exit Pupil Diameter: 4.1 mm
 Eye Relief: .72 in
 Field of View: 241 ft @ 1000 yds
 Close Focus Distance: 13.1 ft
 Twilight Index: 21.47
 Dimensions: 5.2 x 6.5 x 2.3 in
 Resolution: 4.2"
 Weight: 31.7 oz



SOLITUDE 10X42
 Model Number: SM12003
 Optical Type: Prism, Roof/BaK-4
 Focus System: Central
 Magnification: 10x
 Objective Lens: 42 mm
 Exit Pupil Diameter: 4.2 mm
 Eye Relief: .72 in
 Field of View: 304 ft @ 1000 yds
 Close Focus Distance: 13.1 ft
 Twilight Index: 20.42
 Dimensions: 5.9 x 4.9 x 2 in
 Resolution: 5.33"
 Weight: 26.7 oz



SOLITUDE 8X42
 Model Number: SM12002
 Optical Type: Prism, Roof/BaK-4
 Focus System: Central
 Magnification: 8x
 Objective Lens: 42 mm
 Exit Pupil Diameter: 4.1 mm
 Eye Relief: .78 in
 Field of View: 341 ft @ 1000 yds
 Close Focus Distance: 13.1 ft
 Twilight Index: 18.24
 Dimensions: 5.9 x 4.9 x 2 in
 Resolution: 5.33"
 Weight: 26.7 oz



SOLITUDE 8X32
 Model Number: SM12001
 Optical Type: Prism, Roof/BaK-4
 Focus System: Central
 Magnification: 8x
 Objective Lens: 32 mm
 Exit Pupil Diameter: 4.1 mm
 Eye Relief: .58 in
 Field of View: 426 ft @ 1000 yds
 Close Focus Distance: 6.5 ft
 Twilight Index: 16.19
 Dimensions: 4.9 x 4.3 x 1.8 in
 Resolution: 5.7"
 Weight: 23.5 oz

36

HUNTER NELSON
- AVID HUNTER



- DAY AND NIGHT OPERATION
- 640X480 HIGH RESOLUTION
- HIGH OPTICAL MAGNIFICATION
- BUILT-IN IR ILLUMINATOR
- VIDEO OUTPUT CAPABILITIES
- ADJUSTABLE DISPLAY BRIGHTNESS

- 6 SELECTABLE ELECTRONIC RETICLES (PHOTON ONLY)
- 3 SELECTABLE COLORS FOR RETICLES (PHOTON ONLY)
- FIREARM MOUNTABLE (PHOTON ONLY)

DIGITAL RETICLE
DUPLEX
RED/GREEN/WHITE

DIGITAL RETICLE
DOT DUPLEX
RED/GREEN/WHITE

DIGITAL RETICLE
MIL DOT
RED/GREEN/WHITE

DIGITAL RETICLE
CROSSBOW-1
RED/GREEN/WHITE

DIGITAL RETICLE
CROSSBOW-2
RED/GREEN/WHITE

DIGITAL RETICLE
GERMAN #4
RED/GREEN/WHITE

FEATURES






FLIP COVER FOR
DAYTIME USE



BUILT-IN IR
ILLUMINATOR



EASY TO REACH
BUTTONS





PHOTON XT 6.5X50 L - RIFLESCOPE

Model Number: SM18007
Reticle: 6 Pattern
Camera Resolution: 640 x 480
Magnification: 6.5x
Objective Lens: 50 mm
Tube Diameter: 30 mm
Max Detection Range: up to 220 yds
Built-in IR Illuminator: Yes, Laser
IR Wavelength: 780 nm
Video Out: Yes, RCA
Battery: AA x2
Battery Life: 4 Hours with IR
Dimensions: 16.9 x 3.1 in
Weight: 25.4 oz



PHOTON XT 4.6X42 S - RIFLESCOPE

Model Number: SM18008
Reticle: 6 Pattern
Camera Resolution: 640 x 480
Magnification: 4.6x
Objective Lens: 42 mm
Tube Diameter: 30 mm
Max Detection Range: up to 130 yds
Built-in IR Illuminator: Yes, LED
IR Wavelength: 810 nm
Video Out: Yes, RCA
Battery: AA x2
Battery Life: 4 Hours with IR
Dimensions: 15.7 x 3.1 in
Weight: 23.6 oz



PHOTON 6.5X50 S - RIFLESCOPE

Model Number: SM18009
Reticle: 6 Pattern
Camera Resolution: 640 x 480
Magnification: 6.5x
Objective Lens: 50 mm
Tube Diameter: 30 mm
Max Detection Range: up to 150 yds
Built-in IR Illuminator: Yes, LED
IR Wavelength: 810 nm
Video Out: Yes, RCA
Battery: AA x2
Battery Life: 4 Hours with IR
Dimensions: 15.7 x 3.1 in
Weight: 23.6 oz



RANGER XR 6.5X42 - MONOCULAR

Model Number: SM18010
Reticle: N/A
Camera Resolution: 640 x 480
Magnification: 6.5x
Objective Lens: 42 mm
Tube Diameter: N/A
Max Detection Range: up to 400 yds
Built-in IR Illuminator: Yes, LED
IR Wavelength: 940 nm
Video Out: Yes, RCA
Battery: AA x6
Battery Life: 5 Hours with IR
Dimensions: 6.7 x 4.5 X 2.9 in
Weight: 23 oz

38

MICHAEL BENNETT
- SERGEANT | ARMY

- LIGHTWEIGHT ALUMINUM CONSTRUCTION
 - LOW-PROFILE DESIGN
 - POWERFUL 5MW LASER
 - PRECISION ACCURACY
 - EASY-TO-USE PUSH-BUTTON OPERATION
 - BUILT-IN WEAVER MOUNT
 - SHOCKPROOF, WEATHERPROOF
-
- HAND-ADJUSTABLE WINDAGE/ELEVATION (LOPRO SERIES)

FEATURES

ADJUSTABLE
WIND/ELEVATION

POWERFUL
5MW LASER



LASER
SIGHT

LOPRO / READYFIRE



LOPRO X IR COMBO - RIFLE LASER/INFRARED

Model Number: SM25011
 Laser Output: <5mW
 Laser Wavelength: Red, 650 nm
 Adjustment Value: 1 MOA
 Laser Effective Range: 100 Day / 300 Night yds
 Infrared Wavelength: Invisible, 830 nm
 Infrared Output: <.7mW
 Infrared Effective Range: 300 Night yds (with Gen 3)
 Battery: CR123A
 Battery Life: 20 - 25 Hours
 Dimensions: 3.9 x 2.1 x 1.7
 Weight: 10 oz



LOPRO X IR COMBO - RIFLE LASER/INFRARED

Model Number: SM25010
 Laser Output: <5mW
 Laser Wavelength: Green, 532 nm
 Adjustment Value: 1 MOA
 Laser Effective Range: 100 Day / 600 Night yds
 Infrared Wavelength: Invisible, 830 nm
 Infrared Output: <.7mW
 Infrared Effective Range: 300 Night yds (with Gen 3)
 Battery: CR123A
 Battery Life: 20 - 50 Hours
 Dimensions: 3.9 x 2.1 x 1.7
 Weight: 10 oz



LOPRO COMBO - RIFLE LASER/LIGHT

Model Number: SM25004
 Laser Output: <5mW
 Laser Wavelength: Green, 532 nm
 Adjustment Value: 1 MOA
 Effective Range: 50 Day / 600 Night yds
 Flashlight Output: White LED, 220 Lumens
 Battery: CR123A
 Battery Life: 4.5 - 17 Hours
 Dimensions: 3.8 x 3 x 1.5
 Weight: 6.5 oz

Also Available in Dark Earth
 SM25004DE



LOPRO - RIFLE LASER

Model Number: SM25001
 Laser Output: <5mW
 Laser Wavelength: Green, 532 nm
 Adjustment Value: 1 MOA
 Effective Range: 50 Day / 600 Night yds
 Battery: CR123A
 Battery Life: 27 Hours
 Dimensions: 3.3 x 3 x 1.5
 Weight: 6.2 oz

Also Available in Dark Earth
 SM25001DE



READYFIRE IR6 - INFRARED RIFLE LASER

Model Number: SM25009
 Laser Output: <.7mW
 Laser Wavelength: Invisible, 830 nm
 Adjustment Value: 1 MOA
 Effective Range: 300 Night yds (with Gen 3)
 Battery: 2x CR123A
 Battery Life: 37 Hours
 Dimensions: 6.3 x 1.6
 Weight: 9.2 oz



READYFIRE G6 - RIFLE LASER

Model Number: SM25008
 Laser Output: <5mW
 Laser Wavelength: Green, 515 nm
 Adjustment Value: 1 MOA
 Effective Range: 100 Day / 600 Night yds
 Battery: 2x CR123A
 Battery Life: 8 Hours
 Dimensions: 6.7 x 1.6
 Weight: 9.7 oz



READYFIRE G5 - PISTOL LASER

Model Number: SM25002
 Laser Output: <5mW
 Laser Wavelength: Green, 532 nm
 Adjustment Value: Continuous
 Effective Range: 50 Day / 600 Night yds
 Battery: CR2
 Battery Life: 10 Hours
 Dimensions: 2.6 x 1.4 x 1.3
 Weight: 3 oz



READYFIRE LW-R5 - PISTOL LASER

Model Number: SM25007
 Laser Output: <5mW
 Laser Wavelength: Red, 635 nm
 Adjustment Value: Continuous
 Effective Range: 20 Day / 300 Night yds
 Battery: AG13 x2
 Battery Life: 7 Hours
 Dimensions: 2.4 x 1.1 x 1.1
 Weight: 2.3 oz



- TYPE II MIL-SPEC ANODIZED FINISH
- AIRCRAFT-GRADE ALUMINUM CONSTRUCTION
- POWERFUL CREE® LEDS (FLASHLIGHTS ONLY)
- 3 SELECTABLE MODES (SS ONLY)
- HAND-HELD OR FIREARM MOUNTABLE
- PICATINNY MOUNTS INCLUDED
- SHOCKPROOF, WEATHERPROOF

FEATURES


FIREARM MOUNTABLE



AIRCRAFT-GRADE ALUMINUM



POWERFUL LEDS



Battery Pack for SS3000
SM73011.001



Rechargeable Batteries for SS2000
SM73007K.003



Pressure Pad & Firearm Mount for T6 & SS600
SM73001.001



Pressure Pad & Firearm Mount for SS2000
SM73007K.002



Nylon Pouch for T6 & SS600
SM73001.002



Red, Blue & Green Filters for SS2000
SM73004K.001



Red, Blue & Green Filters for T6
SM73001.003



Red, Blue & Green Filters for SS600
SM73005.004





SS3000 TACTICAL SPOTLIGHT

Model Number: SM73011
 Light Output: 3,000 / 1,500 Lumens
 Modes: Full / Half / Strobe
 Bulb Type: Cree® U2 LEDs x7
 Battery: Battery Pack 18650 x4
 Battery Life: 4 Hours
 Dimensions: 7.5 x 3.6
 Weight: 28.5 oz



SS2000 TACTICAL FLASHLIGHT

Model Number: SM73008K
 Light Output: 2,000 / 280 Lumens
 Modes: Full / Half / Strobe
 Bulb Type: Cree® T6 LEDs x3
 Battery: 18650 x2
 Battery Life: 10 Hours
 Dimensions: 9.9 x 1.1
 Weight: 20.5 oz



SS600 TACTICAL FLASHLIGHT

Model Number: SM73010
 Light Output: 600 / 100 Lumens
 Modes: Full / Half / Strobe
 Bulb Type: Cree® T6 LED
 Battery: CR123A x2
 Battery Life: 8 Hours
 Dimensions: 5.4 x 1.4
 Weight: 7.9 oz



T6 TACTICAL FLASHLIGHT KIT

Model Number: SM73009K
 Light Output: 600 Lumens
 Modes: Full
 Bulb Type: Cree® T6 LED
 Battery: CR123A x2
 Battery Life: 5 Hours
 Dimensions: 5.4 x 1.4
 Weight: 5.9 oz



SS1000 INFRARED ILLUMINATOR

Model Number: SM27000
 Infrared Output: 1,000 / 500 / 100 mW
 Modes: Full / Half / Low
 Bulb Type: 850 nm IR LED
 Battery: 18650
 Battery Life: up to 60 Hours
 Dimensions: 5.5 x 1.4
 Weight: 7.9 oz



IR-805 INFRARED ILLUMINATOR

Model Number: SM19075
 Light Output: 100 / 70 mW
 Modes: Full / Low
 Bulb Type: 805 nm IR LED
 Battery: AAA x2
 Battery Life: 20 Hours
 Dimensions: 5.7 x 1.3
 Weight: 4.2 oz



- PRE-CALIBRATED FOR PRECISION ACCURACY
- DURABLE BRASS CONSTRUCTION
- REDUCES WASTED AMMO
- COMPACT AND LIGHTWEIGHT
- EASY TO PACK AND TRAVEL
- CARRYING CASE AND BATTERIES INCLUDED

FEATURES

HIGH QUALITY BRASS



FINE ADJUSTMENT FOR TRUE CENTER



LARGEST SELECTION OF CALIBERS



RIFLE

-  Model Number: SM39001
Calibers: .223 Rem
-  Model Number: SM39002
Calibers: 7.62mm x 39
-  Model Number: SM39003
Calibers: .30-06 Spr, .270 Win, .25-06 Win
-  Model Number: SM39004
Calibers: 7mm Rem Mag, .388 Win, .264 Win
-  Model Number: SM39005
Calibers: .308 Win, .243 Win, 7mm-08, .260 Rem, .358 Win
-  Model Number: SM39006
Calibers: .300 Win Mag
-  Model Number: SM39009
Calibers: .30-30 Win

RIFLE

-  Model Number: SM39010
Calibers: .300 WSM
-  Model Number: SM39011
Calibers: .270 WSM
-  Model Number: SM39012
Calibers: .50 Cal - Red
-  Model Number: SM39038
Calibers: .50 Cal - Green
-  Model Number: SM39013
Calibers: .303 British
-  Model Number: SM39020
Calibers: .22-250 Rem
-  Model Number: SM39021
Calibers: .22 LR







RIFLE

-  Model Number: SM39022
Calibers: .17 HMR
-  Model Number: SM39023
Calibers: 6.8 Rem SPC
-  Model Number: SM39027
Calibers: 6.5 x 55mm
-  Model Number: SM39029
Calibers: 8 x 57mm JRS
-  Model Number: SM39030
Calibers: 7 x 64mm
-  Model Number: SM39031
Calibers: 7 x 65mm R
-  Model Number: SM39032
Calibers: 7 x 57mm Mauser R

RIFLE

-  Model Number: SM39033
Calibers: 9.3 x 62mm
-  Model Number: SM39034
Calibers: 8 x 57mm Mauser R
-  Model Number: SM39037
Calibers: 7.62 x 54mm R
-  Model Number: SM39043
Calibers: 300 BLK, 7.62x35mm

PISTOL

-  Model Number: SM39015
Calibers: 9mm Luger
-  Model Number: SM39016
Calibers: .40 S&W
-  Model Number: SM39017
Calibers: .45 ACP
-  Model Number: SM39018
Calibers: .357 Magnum, .38 Special
-  Model Number: SM39019
Calibers: .44 Magnum
-  Model Number: SM39028
Calibers: .380 ACP


UNIVERSAL

-  Model Number: SM39024
Calibers: Triple Duty Universal
-  Model Number: SM39026
Calibers: Triple Duty Universal - Green
-  Model Number: SM39014
Calibers: Universal
-  Model Number: SM39044
Calibers: Universal - Green

SHOTGUN

-  Model Number: SM39007
Calibers: 12 Gauge
-  Model Number: SM39008
Calibers: 20 Gauge

CROSSBOW

-  Model Number: SM39039
Calibers: Arrow, Bolt



RIFLE MOUNTS



Model Number: SM34003
Description: Picatinny - Low Height Quick Detach, Fits 30mm & 1in

Model Number: SM34002
Description: Picatinny - Medium Height Quick Detach, Fits 30mm & 1in

Model Number: SM34004
Description: Picatinny - CJRK Cantilever Mount Quick Detach, Fits 30mm & 1in

Model Number: SM34017
Description: Picatinny - Cantilever Mount Fits 30mm

RIFLESCOPE RINGS



Model Number: SM34005
Description: Tactical Picatinny - Low Height Fits 30mm & 1in

Model Number: SM34006
Description: Tactical Picatinny - Medium Height Fits 30mm & 1in

Model Number: SM34007
Description: Tactical Picatinny - High Height Fits 30mm & 1in

Model Number: SM34008
Description: Tactical Picatinny - Extra High Height Fits 30mm & 1in

ACCESSORIES



Model Number: SM94000
Description: Sniper Data Book - 200 pages of formulas, tables, charts, logs & data

Model Number: SM93000
Description: Tactical Titanium Pen Grade 5 Titanium Construction

Model Number: SM19041
Description: Small Scope Cover - Neoprene Fits up to 11in Long x 32mm Objective

Model Number: SM19042
Description: Medium Scope Cover - Neoprene Fits up to 12.5in Long x 40mm Objective

Model Number: SM19043
Description: Large Scope Cover - Neoprene Fits up to 14in Long x 60mm Objective

Model Number: SM19027
Description: Lens Cleaning Kit - 1oz lens cleaner, 1oz anti-fog spray and micro-fiber cloth

BRANDED APPAREL



Model Number: SM51001-T
Description: Sightmark Logo Mesh Hat

Model Number: SM51002-M
Description: Sightmark Flag T-shirt - Medium

Model Number: SM51002-L
Description: Sightmark Flag T-shirt - Large

Model Number: SM51002-XL
Description: Sightmark Flag T-shirt - XL

Model Number: SM51002-XXL
Description: Sightmark Flag T-shirt - 2XL

Model Number: SM51002-XXXL
Description: Sightmark Flag T-shirt - 3XL

PROMOTIONAL



Model Number: SM99001
Description: Sightmark Logo - 6ft Banner

Model Number: SM99002
Description: Sightmark Logo - 7in Sticker

Model Number: SM99006
Description: Sightmark Logo - Pen

Model Number: SM99007
Description: Sightmark - Large Neoprene Pad

Model Number: SM99013
Description: Sightmark 10 Year - Coin

DISPLAYS



Model Number: SM99009
Description: Sightmark - Small Acrylic Optics Display

Model Number: SM99010
Description: Sightmark - Large Acrylic Optics Display

Model Number: SM99003
Description: Sightmark - Boresight Tabletop POP Display

“The more you sweat in peace, the less you bleed in war.” 2,500 years later, Sun Tzu’s words still stand as the mantra by which countless Marines, Soldiers, Sailors, Airmen and Guardsmen commit to duty, honor and the preservation of liberty against all enemies, foreign or domestic, in any time or place.

Driven by the words and deeds of our military and law enforcement heroes, Sightmark seeks to pay homage to those honorable men and women operating in harm’s way with the tools they need for precision accuracy and uncompromising reliability.

A full decade after taking the lead into tactical territory, Sightmark’s vision to enhance accuracy with precision boresights and red dots, advanced lasers and premium riflescopes has grown to provide personal defense advocates, precision marksmen, competitive shooters and even recreational plinkers at all experience levels, on six continents, with a full line of affordable, world-class optics and equipment worthy of the Sightmark name.

Together, we look forward to another decade with Sun Tzu’s principled approach to preparedness and President Theodore Roosevelt’s perspective on tenacity, transcribed below, as cornerstones of a commitment to making our mark honorably, reliably and dutifully.

“Far better it is to dare mighty things, to win glorious triumphs, even though checkered by failure, than to rank with those poor spirits who neither enjoy nor suffer much, because they live in the gray twilight that knows not victory nor defeat.”

~Theodore Roosevelt



LIFETIME WARRANTY

SIGHT MARK[®]

47

At Sightmark, we aren't just product developers. Our ranks are filled with veterans, competitive shooters, hunters and parents passing on our values and our outdoor heritage. We are hardworking fathers, mothers, sons, daughters, brothers and sisters grateful for our military, law enforcement and other first responders. We are fiercely passionate about our Second Amendment Right and its assurance all other rights remain intact. Like you, we work hard to make our mark and back that commitment up with the Sightmark Lifetime Warranty. If that's not enough, 100% of our warranty claims are serviced right here in our ISO 9001:2008 certified Mansfield, Texas headquarters.

